

TABLES OF RADON DATA BY CANADIAN CENSUS DIVISIONS

We obtained at least 25 long-term residential radon test outcomes for 58.4% (171 of the 293) individual Canadian census divisions. We obtained between 1 to 24 long-term residential radon test outcomes for another 37.2% (109 of the 293) census divisions.

Acknowledging that all areas of Canada are important to report on if possible, we clustered those census divisions with 1-24 readings together with other census divisions that directly border them, so that the pooled outcomes for a minimal geographic area can be based on a minimum of 25 long term radon readings. Doing this allows us to report useful information in a way that reduces the chance of over or under-estimating residential radon levels due to insufficient data points within a single census division and is a strategy that has been used before in this context.

Including clustered group and single census divisions, we report on 183 geographic units encompassing 94.9% (278/293) of Canadian census divisions. The geometric mean number of radon tests per census division or per census division cluster is 109.

We emphasize that all areas of Canada will benefit from new radon testing as well as the acquisition of any existing data from potential future partners, and that **individual census divisions with fewer than 25 radon test readings (i.e. any currently reported within a cluster) are areas of priority to update in near-future versions of this report.**

Census Division ID	Census Division Name	Census Division Province	Number of Radon Readings
1011	Division No. 11	NL	0
1314	Restigouche	NB	0
3551	Manitoulin	ON	0
4619	Division No. 19	MB	0
4620	Division No. 20	MB	0
4621	Division No. 21	MB	2
4622	Division No. 22	MB	3
4623	Division No. 23	MB	0
6101	Region 1	NT	0
6102	Region 2	NT	0
6103	Region 3	NT	0
6104	Region 4	NT	0
6204	Qikiqtaaluk	NU	0
6205	Kivalliq	NU	0
6208	Kitikmeot	NU	0

We did not have access to any long-term residential radon test outcomes for 4.4% (13 of the 293) census divisions and had insufficient data (<4 readings) for two census divisions that could not be clustered as they were bordered by areas with no data (tabulated to the LEFT). This group of census divisions is over-represented by those in more northern, less populated regions of Canada.

*These census divisions should be considered high-priority areas for immediate radon test data collection, as well as the acquisition of any existing data from potential future partners. They will be areas of the **highest priority to update in near-future versions of this report.***

A Call to Action! If you are part of a group or organization with access to long-term (90+ day) alpha track radon test data, please consider contacting the study lead or any member of the data management team who helped prepare this report (see page 3) **to discuss becoming a Cross Canada Radon Survey data partner.** By working together, we can all help understand the scale of Canada's radon problem better and faster!

If interested in becoming a Cross Canada Radon Survey partner, please send an email to info@crosscanadaradon.ca indicating the team member or members you wish to contact.

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
1001	Division No. 1	NL	52	1 in 2 48.1 < 100 Bq/m ³ 1 in 2 42.3 100-200 1 in 10 9.6 ≥ 200 Bq/m ³	92.9	70.4	122.6	2461
1002, 1003, 1004, 1005, 1006, 1007, 1008, 1009	Division No. 9, Division No. 8, Division No. 7, Division No. 6, Division No. 5, Division No. 4, Division No. 3, Division No. 2	NL	43	1 in 2 44.2 < 100 Bq/m ³ 1 in 4 25.6 100-200 1 in 3 30.2 ≥ 200 Bq/m ³	93.2	66.5	130.6	796
1010, 2498, 2497, 2496, 2495	Minganie-Le Golfe-du-Saint-Laurent, Sept-Rivières-Caniapiscau, Manicouagan, La Haute-Côte-Nord, Division No. 10	NL, QC	64	(3 in 4) 71.9 < 100 Bq/m ³ 1 in 5 21.9 100-200 1 in 16 6.2 ≥ 200 Bq/m ³	59.8	48.6	73.7	684
1201, 1204	Queens, Shelburne	NS	32	1 in 2 59.4 < 100 Bq/m ³ 1 in 4 28.1 100-200 1 in 8 12.5 ≥ 200 Bq/m ³	68.3	48.8	95.7	333
1203, 1202	Digby, Yarmouth	NS	38	(3 in 4) 78.9 < 100 Bq/m ³ 1 in 5 18.4 100-200 1 in 38 2.6 ≥ 200 Bq/m ³	46.1	34.7	61.2	418
1205	Annapolis	NS	29	(3 in 4) 79.3 < 100 Bq/m ³ 1 in 10 10.3 100-200 1 in 10 10.3 ≥ 200 Bq/m ³	45.6	29.0	71.9	455
1206	Lunenburg	NS	177	1 in 2 43.5 < 100 Bq/m ³ 1 in 6 18.1 100-200 1 in 3 38.4 ≥ 200 Bq/m ³	122.6	105.1	143.0	2731
1207	Kings	NS	116	1 in 2 62.1 < 100 Bq/m ³ 1 in 6 16.4 100-200 1 in 5 21.6 ≥ 200 Bq/m ³	76.2	63.1	92.1	1018
1208	Hants	NS	86	1 in 2 58.1 < 100 Bq/m ³ 1 in 5 18.6 100-200 1 in 4 23.3 ≥ 200 Bq/m ³	87.5	70.0	109.3	1336
1209	Halifax	NS	2854	1 in 3 36.8 < 100 Bq/m ³ 1 in 4 24.5 100-200 1 in 3 38.7 ≥ 200 Bq/m ³	137.2	131.8	142.9	5632
1211, 1210	Cumberland, Colchester	NS	118	1 in 2 55.1 < 100 Bq/m ³ 1 in 5 22 100-200 1 in 4 22.9 ≥ 200 Bq/m ³	89.7	73.3	109.7	1591
1212	Pictou	NS	30	1 in 2 56.7 < 100 Bq/m ³ 1 in 4 26.7 100-200 1 in 6 16.7 ≥ 200 Bq/m ³	68.8	46.7	101.2	555
1213, 1214	Antigonish, Guysborough	NS	32	(3 in 4) 75 < 100 Bq/m ³ 1 in 5 18.8 100-200 1 in 16 6.2 ≥ 200 Bq/m ³	46.6	33.8	64.3	307
1217, 1216	Cape Breton, Richmond	NS	111	1 in 2 55.9 < 100 Bq/m ³ 1 in 6 18 100-200 1 in 4 26.1 ≥ 200 Bq/m ³	76.8	61.4	96.0	1554
1218, 1215	Victoria, Inverness	NS	54	1 in 2 57.4 < 100 Bq/m ³ 1 in 5 18.5 100-200 1 in 4 24.1 ≥ 200 Bq/m ³	84.5	59.7	119.6	2094
1301	Saint John	NB	103	1 in 2 64.1 < 100 Bq/m ³ 1 in 6 17.5 100-200 1 in 5 18.4 ≥ 200 Bq/m ³	76.5	63.6	92.1	695
1302	Charlotte	NB	49	1 in 2 51 < 100 Bq/m ³ 1 in 4 26.5 100-200 1 in 4 22.4 ≥ 200 Bq/m ³	92.5	72.3	118.3	509
1303	Sunbury	NB	54	1 in 2 55.6 < 100 Bq/m ³ 1 in 3 29.6 100-200 1 in 7 14.8 ≥ 200 Bq/m ³	79.2	63.7	98.5	334
1304	Queens	NB	36	1 in 2 44.4 < 100 Bq/m ³ 1 in 4 27.8 100-200 1 in 4 27.8 ≥ 200 Bq/m ³	101.3	69.3	148.3	1309
1305	Kings	NB	341	1 in 2 46.6 < 100 Bq/m ³ 1 in 4 22.6 100-200 1 in 3 30.8 ≥ 200 Bq/m ³	128.8	113.5	146.1	5847
1306	Albert	NB	111	(3 in 4) 76.6 < 100 Bq/m ³ 1 in 7 15.3 100-200 1 in 12 8.1 ≥ 200 Bq/m ³	58.1	48.4	69.8	1256
1307	Westmorland	NB	546	1 in 2 65 < 100 Bq/m ³ 1 in 4 22.9 100-200 1 in 8 12.1 ≥ 200 Bq/m ³	71.2	66.2	76.6	1128
1310	York	NB	1049	1 in 2 40.9 < 100 Bq/m ³ 1 in 4 26.7 100-200 1 in 3 32.4 ≥ 200 Bq/m ³	123.2	116.0	130.9	1462
1311	Carleton	NB	46	1 in 3 32.6 < 100 Bq/m ³ 1 in 6 17.4 100-200 1 in 2 50 ≥ 200 Bq/m ³	141.3	103.6	192.8	862
1312	Victoria	NB	189	1 in 4 27 < 100 Bq/m ³ 1 in 7 15.3 100-200 1 in 2 57.7 ≥ 200 Bq/m ³	192.4	166.7	222.0	1354
1313	Madawaska	NB	33	1 in 3 39.4 < 100 Bq/m ³ 1 in 5 21.2 100-200 1 in 3 39.4 ≥ 200 Bq/m ³	132.9	95.1	185.8	655
1315, 1309, 1308	Gloucester, Northumberland, Kent	NB	98	1 in 3 38.8 < 100 Bq/m ³ 1 in 5 21.4 100-200 1 in 3 39.8 ≥ 200 Bq/m ³	137.1	108.7	173.0	3055

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
2401, 1101, 1102, 1103	Communauté maritime des Îles-de-la-Madeleine, Prince, Queens, Kings	PE, QC	146	1 in 2 53.4 < 100 Bq/m ³ 1 in 4 26 100-200 1 in 5 20.5 ≥ 200 Bq/m ³	81.8	69.0	97.1	914
2403, 2402	La Côte-de-Gaspé, Le Rocher-Percé	QC	44	1 in 4 22.7 < 100 Bq/m ³ 1 in 4 22.7 100-200 1 in 2 54.5 ≥ 200 Bq/m ³	199.5	142.4	279.4	2913
2404, 2405	Bonaventure, La Haute-Gaspésie	QC	40	1 in 2 42.5 < 100 Bq/m ³ 1 in 4 27.5 100-200 1 in 3 30 ≥ 200 Bq/m ³	109.8	77.7	155.3	865.8
2406	Avignon	QC	55	1 in 5 18.2 < 100 Bq/m ³ 1 in 5 18.2 100-200 1 in 2 63.6 ≥ 200 Bq/m ³	228.9	170.4	307.6	1382
2409, 2407, 2408	La Mitis, La Matanie, La Matapédia	QC	33	1 in 2 45.5 < 100 Bq/m ³ 1 in 4 24.2 100-200 1 in 3 30.3 ≥ 200 Bq/m ³	105.2	73.2	151.2	471
2410	Rimouski-Neigette	QC	65	1 in 2 46.2 < 100 Bq/m ³ 1 in 3 30.8 100-200 1 in 4 23.1 ≥ 200 Bq/m ³	103.0	83.8	126.5	555
2411, 2412, 2413	Témiscouata, Rivière-du-Loup, Les Basques	QC	28	1 in 2 64.3 < 100 Bq/m ³ 1 in 6 17.9 100-200 1 in 6 17.9 ≥ 200 Bq/m ³	83.5	58.8	118.6	525
2414, 2417, 2418	Montmagny, L'Islet, Kamouraska	QC	40	1 in 2 55 < 100 Bq/m ³ 1 in 7 15 100-200 1 in 3 30 ≥ 200 Bq/m ³	100.8	76.0	133.8	507
2415, 2416, 2421	La Côte-de-Beaupré, Charlevoix, Charlevoix-Est	QC	64	(2 in 3) 67.2 < 100 Bq/m ³ 1 in 6 17.2 100-200 1 in 6 15.6 ≥ 200 Bq/m ³	58.3	45.0	75.5	363
2419, 2426, 2427, 2428	Les Etchemins, Robert-Cliche, La Nouvelle-Beauce, Bellechasse	QC	57	1 in 2 47.4 < 100 Bq/m ³ 1 in 4 24.6 100-200 1 in 4 28.1 ≥ 200 Bq/m ³	115.6	88.6	150.9	1110
2420	L'Île-d'Orléans	QC	27	1 in 2 48.1 < 100 Bq/m ³ 1 in 14 7.4 100-200 1 in 2 44.4 ≥ 200 Bq/m ³	140.9	88.0	225.6	1110
2422	La Jacques-Cartier	QC	86	1 in 2 54.7 < 100 Bq/m ³ 1 in 4 23.3 100-200 1 in 5 22.1 ≥ 200 Bq/m ³	94.6	76.5	117.1	1110
2423	Québec	QC	876	1 in 2 61.2 < 100 Bq/m ³ 1 in 5 20.9 100-200 1 in 6 17.9 ≥ 200 Bq/m ³	72.3	67.6	77.4	1443
2425	Lévis	QC	129	(3 in 4) 72.1 < 100 Bq/m ³ 1 in 5 19.4 100-200 1 in 12 8.5 ≥ 200 Bq/m ³	52.7	44.7	62.0	433
2430, 2441, 2444	Coaticook, Le Haut-Saint-François, Le Granit	QC	53	1 in 2 58.5 < 100 Bq/m ³ 1 in 4 22.6 100-200 1 in 5 18.9 ≥ 200 Bq/m ³	94.3	73.5	120.9	773
2431, 2429	Les Appalaches, Beauce-Sartigan	QC	28	1 in 2 50 < 100 Bq/m ³ 1 in 2 42.9 100-200 1 in 14 7.1 ≥ 200 Bq/m ³	96.0	76.0	121.3	655
2433, 2432	Lotbinière, L'Érable	QC	25	(2 in 3) 68 < 100 Bq/m ³ 1 in 5 20 100-200 1 in 8 12 ≥ 200 Bq/m ³	65.1	44.8	94.7	518
2434	Portneuf	QC	57	1 in 2 63.2 < 100 Bq/m ³ 1 in 4 22.8 100-200 1 in 7 14 ≥ 200 Bq/m ³	70.2	54.4	90.6	622
2435, 2436	Shawinigan, Mékinac	QC	27	(9 in 10) 88.9 < 100 Bq/m ³ 1 in 27 3.7 100-200 1 in 14 7.4 ≥ 200 Bq/m ³	44.3	32.2	60.9	418
2437	Francheville	QC	110	(39 in 40) 97.3 < 100 Bq/m ³ 1 in 37 2.7 100-200 0 0 ≥ 200 Bq/m ³	37.1	33.3	41.4	126
2439	Arthabaska	QC	43	(4 in 5) 81.4 < 100 Bq/m ³ 1 in 7 14 100-200 1 in 21 4.7 ≥ 200 Bq/m ³	49.2	37.6	64.5	400
2443	Sherbrooke	QC	140	1 in 2 52.1 < 100 Bq/m ³ 1 in 5 18.6 100-200 1 in 3 29.3 ≥ 200 Bq/m ³	99.5	83.3	118.7	1065.6
2445	Memphrémagog	QC	73	1 in 2 60.3 < 100 Bq/m ³ 1 in 4 26 100-200 1 in 7 13.7 ≥ 200 Bq/m ³	83.3	69.1	100.5	496
2446	Brome-Missisquoi	QC	57	1 in 2 49.1 < 100 Bq/m ³ 1 in 4 28.1 100-200 1 in 4 22.8 ≥ 200 Bq/m ³	98.0	77.5	123.9	777
2447	La Haute-Yamaska	QC	50	1 in 2 50 < 100 Bq/m ³ 1 in 4 28 100-200 1 in 5 22 ≥ 200 Bq/m ³	87.5	65.4	117.2	751
2448, 2442, 2440	Acton, Le Val-Saint-François, Les Sources	QC	31	(7 in 10) 71 < 100 Bq/m ³ 1 in 8 12.9 100-200 1 in 6 16.1 ≥ 200 Bq/m ³	63.3	44.1	90.6	455
2449	Drummond	QC	57	(9 in 10) 91.2 < 100 Bq/m ³ 1 in 19 5.3 100-200 1 in 29 3.5 ≥ 200 Bq/m ³	37.7	31.0	45.8	278

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
2451, 2452	D'Autray, Maskinongé	QC	31	(4 in 5) 83.9 < 100 Bq/m ³ 1 in 8 12.9 100-200 1 in 31 3.2 ≥ 200 Bq/m ³	39.6	29.7	53.0	229.4
2453, 2450, 2438	Pierre-De Saurel, Nicolet-Yamaska, Bécancour	QC	39	(4 in 5) 79.5 < 100 Bq/m ³ 1 in 6 17.9 100-200 1 in 38 2.6 ≥ 200 Bq/m ³	49.1	37.6	64.1	211
2454	Les Maskoutains	QC	50	1 in 2 62 < 100 Bq/m ³ 1 in 5 20 100-200 1 in 6 18 ≥ 200 Bq/m ³	74.5	57.0	97.3	411
2455	Rouville	QC	32	1 in 2 65.6 < 100 Bq/m ³ 1 in 11 9.4 100-200 1 in 4 25 ≥ 200 Bq/m ³	82.7	59.6	114.9	651
2456	Le Haut-Richelieu	QC	84	1 in 2 56 < 100 Bq/m ³ 1 in 4 26.2 100-200 1 in 6 17.9 ≥ 200 Bq/m ³	86.3	67.0	111.0	1965
2457	La Vallée-du-Richelieu	QC	474	1 in 3 35.2 < 100 Bq/m ³ 1 in 3 38.4 100-200 1 in 4 26.4 ≥ 200 Bq/m ³	117.4	108.4	127.3	14652
2458	Longueuil	QC	481	1 in 2 65.3 < 100 Bq/m ³ 1 in 4 27.2 100-200 1 in 13 7.5 ≥ 200 Bq/m ³	69.3	64.6	74.4	543.9
2459	Marguerite-D'Youville	QC	215	1 in 3 32.1 < 100 Bq/m ³ 1 in 3 38.1 100-200 1 in 3 29.8 ≥ 200 Bq/m ³	127.5	115.1	141.2	888
2460	L'Assomption	QC	74	(3 in 4) 73 < 100 Bq/m ³ 1 in 7 14.9 100-200 1 in 8 12.2 ≥ 200 Bq/m ³	62.7	50.9	77.2	447.7
2461	Joliette	QC	34	(9 in 10) 88.2 < 100 Bq/m ³ 1 in 11 8.8 100-200 1 in 34 2.9 ≥ 200 Bq/m ³	44.6	33.3	59.7	669.7
2462	Matawinie	QC	25	(17 in 20) 84 < 100 Bq/m ³ 1 in 8 12 100-200 1 in 25 4 ≥ 200 Bq/m ³	38.3	23.2	63.3	834
2463	Montcalm	QC	28	(17 in 20) 85.7 < 100 Bq/m ³ 1 in 14 7.1 100-200 1 in 14 7.1 ≥ 200 Bq/m ³	41.1	29.8	56.8	285
2464	Les Moulins	QC	75	(7 in 10) 70.7 < 100 Bq/m ³ 1 in 4 22.7 100-200 1 in 15 6.7 ≥ 200 Bq/m ³	60.7	50.4	73.2	340
2465	Laval	QC	253	1 in 2 56.5 < 100 Bq/m ³ 1 in 4 25.7 100-200 1 in 6 17.8 ≥ 200 Bq/m ³	84.7	75.2	95.5	1073
2466	Montréal	QC	650	1 in 2 62.3 < 100 Bq/m ³ 1 in 5 21.1 100-200 1 in 6 16.6 ≥ 200 Bq/m ³	76.3	70.9	82.0	2126
2467	Roussillon	QC	116	1 in 2 40.5 < 100 Bq/m ³ 1 in 3 39.7 100-200 1 in 5 19.8 ≥ 200 Bq/m ³	106.0	92.0	122.1	851
2468, 2469, 2470	Beauharnois-Salaberry, Le Haut-Saint-Laurent, Les Jardins-de-Napierville	QC	52	1 in 2 55.8 < 100 Bq/m ³ 1 in 4 23.1 100-200 1 in 5 21.2 ≥ 200 Bq/m ³	90.6	71.4	115.0	707
2471	Vaudreuil-Soulanges	QC	132	1 in 2 49.2 < 100 Bq/m ³ 1 in 3 30.3 100-200 1 in 5 20.5 ≥ 200 Bq/m ³	92.8	79.5	108.2	585
2472	Deux-Montagnes	QC	185	1 in 2 41.6 < 100 Bq/m ³ 1 in 3 30.8 100-200 1 in 4 27.6 ≥ 200 Bq/m ³	117.8	102.2	135.9	1221
2473	Thérèse-De Blainville	QC	135	1 in 2 52.6 < 100 Bq/m ³ 1 in 4 25.9 100-200 1 in 5 21.5 ≥ 200 Bq/m ³	88.9	75.1	105.2	777
2475, 2474	La Rivière-du-Nord, Mirabel	QC	92	1 in 2 58.7 < 100 Bq/m ³ 1 in 4 22.8 100-200 1 in 5 18.5 ≥ 200 Bq/m ³	71.6	58.7	87.3	573.5
2476	Argenteuil	QC	31	(3 in 4) 74.2 < 100 Bq/m ³ 1 in 4 25.8 100-200 #DIV/0! 0 ≥ 200 Bq/m ³	55.4	41.7	73.5	196.1
2477	Les Pays-d'en-Haut	QC	60	(9 in 10) 90 < 100 Bq/m ³ 1 in 12 8.3 100-200 1 in 59 1.7 ≥ 200 Bq/m ³	40.8	32.8	50.7	340
2478	Les Laurentides	QC	43	(4 in 5) 79.1 < 100 Bq/m ³ 1 in 11 9.3 100-200 1 in 9 11.6 ≥ 200 Bq/m ³	47.0	34.4	64.3	962
2480, 2479	Papineau, Antoine-Labelle	QC	92	1 in 3 37 < 100 Bq/m ³ 1 in 3 31.5 100-200 1 in 3 31.5 ≥ 200 Bq/m ³	123.1	99.8	151.9	1406
2481	Gatineau	QC	313	1 in 2 55.9 < 100 Bq/m ³ 1 in 4 28.1 100-200 1 in 6 16 ≥ 200 Bq/m ³	84.5	76.4	93.4	1365.3
2482	Les Collines-de-l'Outaouais	QC	175	1 in 3 35.4 < 100 Bq/m ³ 1 in 5 20.6 100-200 1 in 2 44 ≥ 200 Bq/m ³	144.8	124.5	168.5	1406

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
2486	Rouyn-Noranda	QC	31	(19 in 20) 93.5 < 100 Bq/m ³ 1 in 31 3.2 100-200 1 in 31 3.2 ≥ 200 Bq/m ³	32.1	23.7	43.6	291
2488	Abitibi	QC	31	1 in 1 100 < 100 Bq/m ³ #DIV/0! 0 100-200 #DIV/0! 0 ≥ 200 Bq/m ³	32.6	26.2	40.4	96.2
2489, 2483, 2484, 2487, 2485	La Vallée-de-l'Or, Abitibi-Ouest, Témiscamingue, Pontiac, La Vallée-de-la-Gatineau	QC	60	(2 in 3) 68.3 < 100 Bq/m ³ 1 in 4 23.3 100-200 1 in 12 8.3 ≥ 200 Bq/m ³	58.8	45.9	75.4	1348
2493, 2491, 2490	Lac-Saint-Jean-Est, Le Domaine-du-Roy, La Tuque	QC	26	(3 in 4) 73.1 < 100 Bq/m ³ 1 in 5 19.2 100-200 1 in 13 7.7 ≥ 200 Bq/m ³	57.1	41.3	79.1	270.1
2499, 2494, 2492	Nord-du-Québec, Le Saguenay-et-son-Fjord, Maria-Chapdelaine	QC	92	(4 in 5) 80.4 < 100 Bq/m ³ 1 in 7 14.1 100-200 1 in 19 5.4 ≥ 200 Bq/m ³	49.1	40.7	59.3	781
3501	Stormont, Dundas and Glengarry	ON	28	(2 in 3) 67.9 < 100 Bq/m ³ 1 in 3 28.6 100-200 1 in 28 3.6 ≥ 200 Bq/m ³	53.1	37.8	74.5	216
3502	Prescott and Russell	ON	71	(3 in 4) 73.2 < 100 Bq/m ³ 1 in 6 16.9 100-200 1 in 10 9.9 ≥ 200 Bq/m ³	61.3	48.7	77.2	840
3506	Ottawa	ON	1349	1 in 2 63.4 < 100 Bq/m ³ 1 in 4 24.6 100-200 1 in 8 12 ≥ 200 Bq/m ³	72.8	69.3	76.5	1889
3507	Leeds and Grenville	ON	220	1 in 2 46.4 < 100 Bq/m ³ 1 in 4 22.3 100-200 1 in 3 31.4 ≥ 200 Bq/m ³	113.0	98.6	129.6	3165
3509	Lanark	ON	114	1 in 3 31.6 < 100 Bq/m ³ 1 in 4 26.3 100-200 1 in 2 42.1 ≥ 200 Bq/m ³	137.6	112.9	167.9	1464
3510	Frontenac	ON	214	1 in 2 52.3 < 100 Bq/m ³ 1 in 4 24.3 100-200 1 in 4 23.4 ≥ 200 Bq/m ³	74.8	62.7	89.3	847
3511	Lennox and Addington	ON	38	1 in 3 34.2 < 100 Bq/m ³ 1 in 5 21.1 100-200 1 in 2 44.7 ≥ 200 Bq/m ³	130.7	90.7	188.2	430
3512	Hastings	ON	56	1 in 2 57.1 < 100 Bq/m ³ 1 in 5 21.4 100-200 1 in 5 21.4 ≥ 200 Bq/m ³	67.3	47.4	95.4	600
3513	Prince Edward	ON	85	1 in 2 41.2 < 100 Bq/m ³ 1 in 3 31.8 100-200 1 in 4 27.1 ≥ 200 Bq/m ³	102.1	81.4	128.2	551
3514	Northumberland	ON	39	(3 in 4) 74.4 < 100 Bq/m ³ 1 in 10 10.3 100-200 1 in 6 15.4 ≥ 200 Bq/m ³	37.7	23.1	61.6	349
3515	Peterborough	ON	60	(7 in 10) 70 < 100 Bq/m ³ 1 in 9 11.7 100-200 1 in 5 18.3 ≥ 200 Bq/m ³	73.9	55.6	98.2	2809
3518	Durham	ON	114	(17 in 20) 87.7 < 100 Bq/m ³ 1 in 16 6.1 100-200 1 in 16 6.1 ≥ 200 Bq/m ³	41.9	35.5	49.5	416
3519	York	ON	177	(9 in 10) 89.3 < 100 Bq/m ³ 1 in 15 6.8 100-200 1 in 25 4 ≥ 200 Bq/m ³	37.5	33.2	42.4	369
3520	Toronto	ON	387	(17 in 20) 86.3 < 100 Bq/m ³ 1 in 8 12.4 100-200 1 in 77 1.3 ≥ 200 Bq/m ³	40.3	36.7	44.2	358
3521	Peel	ON	113	(4 in 5) 81.4 < 100 Bq/m ³ 1 in 7 14.2 100-200 1 in 23 4.4 ≥ 200 Bq/m ³	45.5	38.3	54.1	557
3522	Dufferin	ON	74	1 in 2 64.9 < 100 Bq/m ³ 1 in 4 24.3 100-200 1 in 9 10.8 ≥ 200 Bq/m ³	66.7	54.2	82.1	489
3523	Wellington	ON	798	1 in 2 62.4 < 100 Bq/m ³ 1 in 4 24.9 100-200 1 in 8 12.7 ≥ 200 Bq/m ³	71.2	66.8	75.9	940
3524	Halton	ON	230	(2 in 3) 68.7 < 100 Bq/m ³ 1 in 5 21.7 100-200 1 in 10 9.6 ≥ 200 Bq/m ³	66.3	59.0	74.5	1013
3525	Hamilton	ON	1011	(2 in 3) 67.5 < 100 Bq/m ³ 1 in 5 19.8 100-200 1 in 8 12.8 ≥ 200 Bq/m ³	71.6	67.7	75.7	2473
3526	Niagara	ON	95	(3 in 4) 73.7 < 100 Bq/m ³ 1 in 7 14.7 100-200 1 in 9 11.6 ≥ 200 Bq/m ³	62.9	51.3	77.0	857
3529, 3528	Brant, Haldimand-Norfolk	ON	50	(2 in 3) 68 < 100 Bq/m ³ 1 in 5 22 100-200 1 in 10 10 ≥ 200 Bq/m ³	76.1	60.7	95.4	476
3530	Waterloo	ON	258	1 in 2 63.2 < 100 Bq/m ³ 1 in 4 26.4 100-200 1 in 10 10.5 ≥ 200 Bq/m ³	72.3	64.9	80.6	1009

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
3531	Perth	ON	33	1 in 2 63.6 < 100 Bq/m ³ 1 in 7 15.2 100-200 1 in 5 21.2 ≥ 200 Bq/m ³	87.3	63.1	120.7	746
3532	Oxford	ON	27	1 in 2 51.9 < 100 Bq/m ³ 1 in 3 29.6 100-200 1 in 5 18.5 ≥ 200 Bq/m ³	92.5	63.2	135.4	1144
3534	Elgin	ON	185	(3 in 4) 77.3 < 100 Bq/m ³ 1 in 5 20 100-200 1 in 37 2.7 ≥ 200 Bq/m ³	58.3	52.3	64.9	528
3536	Chatham-Kent	ON	44	1 in 2 45.5 < 100 Bq/m ³ 1 in 3 34.1 100-200 1 in 5 20.5 ≥ 200 Bq/m ³	109.7	81.2	148.1	1092
3537	Essex	ON	145	1 in 2 52.4 < 100 Bq/m ³ 1 in 3 33.1 100-200 1 in 7 14.5 ≥ 200 Bq/m ³	99.3	89.0	110.8	548
3538	Lambton	ON	42	1 in 2 61.9 < 100 Bq/m ³ 1 in 5 19 100-200 1 in 5 19 ≥ 200 Bq/m ³	86.7	66.9	112.5	567
3539	Middlesex	ON	139	(3 in 4) 74.1 < 100 Bq/m ³ 1 in 5 21.6 100-200 1 in 23 4.3 ≥ 200 Bq/m ³	63.8	56.8	71.7	664
3540	Huron	ON	27	1 in 2 55.6 < 100 Bq/m ³ 1 in 3 33.3 100-200 1 in 9 11.1 ≥ 200 Bq/m ³	89.9	64.6	125.0	665
3541	Bruce	ON	43	1 in 2 53.5 < 100 Bq/m ³ 1 in 3 32.6 100-200 1 in 7 14 ≥ 200 Bq/m ³	62.0	42.1	91.4	718
3542	Grey	ON	63	(2 in 3) 66.7 < 100 Bq/m ³ 1 in 8 12.7 100-200 1 in 5 20.6 ≥ 200 Bq/m ³	73.8	54.3	100.3	2756
3543	Simcoe	ON	150	(4 in 5) 80 < 100 Bq/m ³ 1 in 7 15.3 100-200 1 in 21 4.7 ≥ 200 Bq/m ³	46.3	39.4	54.5	733
3544, 3546, 3516	Haliburton, Muskoka, Kawartha Lakes	ON	45	(2 in 3) 66.7 < 100 Bq/m ³ 1 in 5 22.2 100-200 1 in 9 11.1 ≥ 200 Bq/m ³	65.7	47.8	90.3	492
3547	Renfrew	ON	192	1 in 2 45.3 < 100 Bq/m ³ 1 in 4 25.5 100-200 1 in 3 29.2 ≥ 200 Bq/m ³	106.1	92.2	122.1	946
3548, 3549	Parry Sound, Nipissing	ON	30	(2 in 3) 66.7 < 100 Bq/m ³ 1 in 4 23.3 100-200 1 in 10 10 ≥ 200 Bq/m ³	60.0	40.6	88.5	471
3557, 3552, 3556, 3554, 3553	Algoma, Cochrane, Timiskaming, Greater Sudbury / Grand Sudbury, Sudbury	ON	60	1 in 2 55 < 100 Bq/m ³ 1 in 3 31.7 100-200 1 in 8 13.3 ≥ 200 Bq/m ³	86.1	67.8	109.2	1799
3558	Thunder Bay	ON	896	1 in 3 34.4 < 100 Bq/m ³ 1 in 3 30.8 100-200 1 in 3 34.8 ≥ 200 Bq/m ³	132.6	123.6	142.2	32321
3560, 3559	Kenora, Rainy River	ON	32	1 in 5 21.9 < 100 Bq/m ³ 1 in 3 34.4 100-200 1 in 2 43.8 ≥ 200 Bq/m ³	156.3	126.2	193.6	448
4602, 4601	Division No. 2, Division No. 1	MB	95	1 in 3 33.7 < 100 Bq/m ³ 1 in 3 37.9 100-200 1 in 4 28.4 ≥ 200 Bq/m ³	129.3	110.1	151.9	720
4606, 4605, 4604, 4603	Division No. 6, Division No. 5, Division No. 4, Division No. 3	MB	25	1 in 4 24 < 100 Bq/m ³ 1 in 4 24 100-200 1 in 2 52 ≥ 200 Bq/m ³	221.9	141.5	348.1	1763
4607	Division No. 7	MB	86	1 in 3 32.6 < 100 Bq/m ³ 1 in 3 32.6 100-200 1 in 3 34.9 ≥ 200 Bq/m ³	144.7	125.0	167.4	559
4608, 4615, 4616	Division No. 16, Division No. 15, Division No. 8	MB	59	1 in 12 8.5 < 100 Bq/m ³ 1 in 6 16.9 100-200 (3 in 4) 74.6 ≥ 200 Bq/m ³	325.3	259.5	407.7	1569
4610, 4614, 4613, 4612, 4617, 4618, 4609	Division No. 18, Division No. 17, Division No. 14, Division No. 13, Division No. 12, Division No. 10, Division No. 9	MB	175	1 in 8 12.6 < 100 Bq/m ³ 1 in 4 22.3 100-200 1 in 2 65.1 ≥ 200 Bq/m ³	280.9	241.0	327.4	3567
4611	Division No. 11	MB	392	1 in 3 32.4 < 100 Bq/m ³ 1 in 3 33.2 100-200 1 in 3 34.4 ≥ 200 Bq/m ³	133.6	121.6	146.8	1176
4702, 4701	Division No. 2, Division No. 1	SK	35	1 in 6 17.1 < 100 Bq/m ³ 1 in 2 48.6 100-200 1 in 3 34.3 ≥ 200 Bq/m ³	153.3	117.3	200.2	750
4704, 4703	Division No. 4, Division No. 3	SK	33	1 in 5 18.2 < 100 Bq/m ³ 1 in 3 30.3 100-200 1 in 2 51.5 ≥ 200 Bq/m ³	192.4	146.6	252.5	885
4705	Division No. 5	SK	37	1 in 6 16.2 < 100 Bq/m ³ 1 in 2 56.8 100-200 1 in 4 27 ≥ 200 Bq/m ³	157.5	118.8	208.9	881
4706	Division No. 6	SK	818	1 in 4 23 < 100 Bq/m ³ 1 in 3 31.1 100-200 1 in 2 46 ≥ 200 Bq/m ³	181.3	169.6	193.9	11333

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
4707	Division No. 7	SK	50	1 in 3 32 < 100 Bq/m ³ 1 in 2 42 100-200 1 in 4 26 ≥ 200 Bq/m ³	124.3	99.4	155.4	1258
4708	Division No. 8	SK	70	1 in 4 22.9 < 100 Bq/m ³ 1 in 3 40 100-200 1 in 3 37.1 ≥ 200 Bq/m ³	165.5	135.2	202.6	1704
4709	Division No. 9	SK	30	1 in 3 36.7 < 100 Bq/m ³ 1 in 3 33.3 100-200 1 in 3 30 ≥ 200 Bq/m ³	126.3	93.4	170.8	443
4711	Division No. 11	SK	707	1 in 3 37.9 < 100 Bq/m ³ 1 in 2 43.8 100-200 1 in 5 18.2 ≥ 200 Bq/m ³	107.7	101.6	114.1	1678
4713, 4712	Division No. 13, Division No. 12	SK	55	1 in 3 30.9 < 100 Bq/m ³ 1 in 3 38.2 100-200 1 in 3 30.9 ≥ 200 Bq/m ³	133.1	107.1	165.6	906
4714, 4710	Division No. 14, Division No. 10	SK	47	1 in 4 27.7 < 100 Bq/m ³ 1 in 3 31.9 100-200 1 in 2 40.4 ≥ 200 Bq/m ³	153.2	119.9	195.6	2225
4715	Division No. 15	SK	68	1 in 3 35.3 < 100 Bq/m ³ 1 in 3 38.2 100-200 1 in 4 26.5 ≥ 200 Bq/m ³	116.9	98.2	139.1	473
4717, 4716	Division No. 17, Division No. 16	SK	53	1 in 4 28.3 < 100 Bq/m ³ 1 in 2 43.4 100-200 1 in 4 28.3 ≥ 200 Bq/m ³	130.1	102.5	165.2	1800
4718	Division No. 18	SK	61	1 in 2 50.8 < 100 Bq/m ³ 1 in 3 37.7 100-200 1 in 9 11.5 ≥ 200 Bq/m ³	77.4	58.9	101.7	642
4801	Division No. 1	AB	177	1 in 2 57.1 < 100 Bq/m ³ 1 in 3 31.6 100-200 1 in 9 11.3 ≥ 200 Bq/m ³	91.7	83.4	100.7	508
4802	Division No. 2	AB	407	1 in 2 43 < 100 Bq/m ³ 1 in 2 40.3 100-200 1 in 6 16.7 ≥ 200 Bq/m ³	110.4	103.3	118.1	1959
4803	Division No. 3	AB	128	1 in 3 34.4 < 100 Bq/m ³ 1 in 3 29.7 100-200 1 in 3 35.9 ≥ 200 Bq/m ³	143.8	122.7	168.5	1337
4804	Division No. 4	AB	33	1 in 3 39.4 < 100 Bq/m ³ 1 in 3 36.4 100-200 1 in 4 24.2 ≥ 200 Bq/m ³	122.7	98.4	153.2	407
4805	Division No. 5	AB	217	1 in 3 34.1 < 100 Bq/m ³ 1 in 3 37.3 100-200 1 in 3 28.6 ≥ 200 Bq/m ³	131.1	117.6	146.2	1175
4806	Division No. 6	AB	17203	1 in 2 45.4 < 100 Bq/m ³ 1 in 3 37.6 100-200 1 in 6 17.1 ≥ 200 Bq/m ³	102.8	101.5	104.0	7199
4807	Division No. 7	AB	47	1 in 4 25.5 < 100 Bq/m ³ 1 in 2 44.7 100-200 1 in 3 29.8 ≥ 200 Bq/m ³	140.3	115.5	170.3	802.8
4808	Division No. 8	AB	422	1 in 2 44.1 < 100 Bq/m ³ 1 in 3 30.3 100-200 1 in 4 25.6 ≥ 200 Bq/m ³	110.7	102.2	119.8	1333
4809	Division No. 9	AB	41	1 in 3 36.6 < 100 Bq/m ³ 1 in 2 41.5 100-200 1 in 5 22 ≥ 200 Bq/m ³	114.9	87.8	150.4	1231
4810	Division No. 10	AB	154	1 in 2 44.8 < 100 Bq/m ³ 1 in 3 36.4 100-200 1 in 5 18.8 ≥ 200 Bq/m ³	102.1	90.4	115.2	479
4811	Division No. 11	AB	4397	1 in 2 43.2 < 100 Bq/m ³ 1 in 3 39.5 100-200 1 in 6 17.3 ≥ 200 Bq/m ³	108.3	106.1	110.5	1493
4812	Division No. 12	AB	85	1 in 2 42.4 < 100 Bq/m ³ 1 in 3 34.1 100-200 1 in 4 23.5 ≥ 200 Bq/m ³	113.8	98.4	131.6	455
4813	Division No. 13	AB	92	1 in 2 40.2 < 100 Bq/m ³ 1 in 3 39.1 100-200 1 in 5 20.7 ≥ 200 Bq/m ³	109.2	92.1	129.4	716
4814	Division No. 14	AB	54	1 in 2 50 < 100 Bq/m ³ 1 in 4 27.8 100-200 1 in 5 22.2 ≥ 200 Bq/m ³	96.5	74.1	125.7	691
4815	Division No. 15	AB	276	1 in 2 55.1 < 100 Bq/m ³ 1 in 4 25.7 100-200 1 in 5 19.2 ≥ 200 Bq/m ³	90.1	80.2	101.2	1492
4819, 4818	Division No. 19, Division No. 18	AB	191	1 in 2 64.4 < 100 Bq/m ³ 1 in 3 28.8 100-200 1 in 15 6.8 ≥ 200 Bq/m ³	76.4	68.7	84.9	490
5901	East Kootenay	BC	689	1 in 2 48 < 100 Bq/m ³ 1 in 4 23.1 100-200 1 in 3 28.9 ≥ 200 Bq/m ³	104.8	96.9	113.3	4074
5903	Central Kootenay	BC	2837	1 in 3 30.7 < 100 Bq/m ³ 1 in 4 27.7 100-200 1 in 2 41.6 ≥ 200 Bq/m ³	162.2	156.5	168.1	10600
5905	Kootenay Boundary	BC	745	1 in 3 34.2 < 100 Bq/m ³ 1 in 3 31.9 100-200 1 in 3 33.8 ≥ 200 Bq/m ³	145.1	135.9	154.9	2557

Census Division ID	Name of Census Division or Census Division Cluster	Census Division Province(s)	Number of Radon Readings	1 in X houses (%) are in this radon exposure category	Geometric Mean Radon Level (Bq/m ³)	Lower 95% Confidence Interval	Upper 95% Confidence Interval	Maximum Observed Radon Level to Date (Bq/m ³)
5907	Okanagan-Similkameen	BC	827	1 in 2 44.4 1 in 4 25.5 1 in 3 30.1 ≥ 200 Bq/m ³	117.0	108.4	126.2	3262
5909	Fraser Valley	BC	708	(3 in 4) 75.6 1 in 6 17.5 1 in 14 6.9 ≥ 200 Bq/m ³	53.7	50.3	57.2	3250
5915	Greater Vancouver	BC	1476	(19 in 20) 96.3 1 in 36 2.8 1 in 111 0.9 ≥ 200 Bq/m ³	18.3	17.3	19.3	624
5917	Capital	BC	990	(37 in 40) 92.9 1 in 19 5.3 1 in 56 1.8 ≥ 200 Bq/m ³	23.7	22.2	25.2	989
5919	Cowichan Valley	BC	94	(9 in 10) 90.4 1 in 23 4.3 1 in 19 5.3 ≥ 200 Bq/m ³	38.5	32.0	46.2	651
5921	Nanaimo	BC	386	(39 in 40) 97.7 1 in 77 1.3 1 in 100 1 ≥ 200 Bq/m ³	18.4	16.9	20.0	483
5923	Alberni-Clayoquot	BC	31	(39 in 40) 96.8 1 in 31 3.2 NA 0 ≥ 200 Bq/m ³	5.6	3.5	9.2	186
5924	Strathcona	BC	36	(3 in 4) 75 1 in 5 19.4 1 in 18 5.6 ≥ 200 Bq/m ³	36.2	21.5	60.9	540
5926	Comox Valley	BC	61	(19 in 20) 95.1 1 in 30 3.3 1 in 63 1.6 ≥ 200 Bq/m ³	21.2	16.6	27.2	206
5927	Powell River	BC	27	(37 in 40) 92.6 1 in 14 7.4 NA 0 ≥ 200 Bq/m ³	22.4	13.9	36.2	155
5929	Sunshine Coast	BC	35	(19 in 20) 94.3 1 in 34 2.9 1 in 34 2.9 ≥ 200 Bq/m ³	28.6	21.8	37.7	333
5931	Squamish-Lillooet	BC	183	(19 in 20) 95.6 1 in 30 3.3 1 in 91 1.1 ≥ 200 Bq/m ³	24.2	21.0	27.9	529
5933	Thompson-Nicola	BC	744	1 in 2 51.9 1 in 5 21 1 in 4 27.2 ≥ 200 Bq/m ³	108.1	99.9	117.1	2190
5935	Central Okanagan	BC	3615	1 in 2 40.4 1 in 3 31.1 1 in 4 28.5 ≥ 200 Bq/m ³	120.9	117.2	124.6	5073
5937	North Okanagan	BC	921	1 in 3 39.8 1 in 3 31.2 1 in 3 29 ≥ 200 Bq/m ³	124.7	118.3	131.5	4356
5939	Columbia-Shuswap	BC	1085	1 in 3 38.7 1 in 3 28.8 1 in 3 32.5 ≥ 200 Bq/m ³	134.1	126.6	142.0	4527
5941	Cariboo	BC	357	(3 in 4) 76.2 1 in 6 16 1 in 13 7.8 ≥ 200 Bq/m ³	58.2	53.0	64.0	973
5945, 5943	Central Coast, Mount Waddington	BC	49	(4 in 5) 81.6 1 in 10 10.2 1 in 12 8.2 ≥ 200 Bq/m ³	38.1	27.1	53.6	927
5947	Skeena-Queen Charlotte	BC	140	(99 in 143) 99.3 NA 0 ≥ 200 Bq/m ³	9.9	8.3	11.8	103
5949	Kitimat-Stikine	BC	211	(3 in 4) 75.8 1 in 6 17.1 1 in 14 7.1 ≥ 200 Bq/m ³	47.4	41.6	54.1	1052
5951	Bulkley-Nechako	BC	148	(3 in 4) 75.7 1 in 7 14.2 1 in 10 10.1 ≥ 200 Bq/m ³	51.1	42.8	60.9	727
5953	Fraser-Fort George	BC	2936	1 in 2 46.6 1 in 4 23.5 1 in 3 29.9 ≥ 200 Bq/m ³	108.3	104.2	112.5	5446
5955	Peace River	BC	261	(3 in 4) 77 1 in 8 11.9 1 in 9 11.1 ≥ 200 Bq/m ³	56.0	50.2	62.5	1251
5957	Stikine	BC	36	1 in 2 61.1 1 in 5 19.4 1 in 5 19.4 ≥ 200 Bq/m ³	77.2	55.3	107.7	688
5959	Northern Rockies	BC	83	(4 in 5) 80.7 1 in 7 14.5 1 in 21 4.8 ≥ 200 Bq/m ³	59.2	51.4	68.0	377
6001	Yukon	YT	1399	1 in 2 50.3 1 in 4 25.9 1 in 4 23.7 ≥ 200 Bq/m ³	101.0	95.4	106.9	3364
6106, 6105, 4816, 4817	Region 6, Region 5, Division No. 17, Division No. 16	AB, NT	110	1 in 2 65.5 1 in 4 23.6 1 in 9 10.9 ≥ 200 Bq/m ³	73.6	61.8	87.7	576